INDEX TO VOLUME 66

New species and the final members of new combinations are in **bold face type.**

Abies 58, 447, 449; balsamea 462; concolor 452, 462; grandis 216, 219; lasiocarpa 216
Acer 187, 219; glabrum 219; glabrum Douglasii 466; Negundo 461; platanoides 461; rubrum 370, 386, 466, 486; saccharinum 460, 461; Saccharum 461
Achillea borealis 456
Achlya 252; flagellata 261
Acroporium guianense 229; pungens 229
Actidesmium 504
Actinocheita 636
Actinomyces discofoliatus 188; erythropolis 498; scabies 425
Additions to Florida fungi—I 29
Additions to the algae of Michigan 77
Additions to the flora of the Glacier Bay National Monument, Alaska 453
Adiantites 301
Adromischus subcompressus 132
Aegiphila 257
Agapanthus 162
Agaricus 29, 152; floridanus 152; iodoformicus 335; placomyces badius 152; pocillator 152; projectellus 152; **Rhoadsii** 29; subrufescens 30; sylvicola 152; **Weberianus** 29
Agave 127
Agrolimax 1
Agropyron 186, 317, 323, 324, 337; divergens 327; glaucum 337; inerme 327, 497; repens 324; spicatum 217, 327, 328, 497; spicatum inerme 328
Agropyron spicatum and A. inerme, The Taxonomy and Ecology of 327
Agrostis exarata 453
Ailanthus altissima 637
Alaska, Additions to the flora of the Glacier Bay National Monument 453
Alcicornopteris 298, 302
Algae of Michigan, Additions to the 77
Alisma 540
Allium 57, 162
Allomyces arbuscula 60
Allopuccinia 179
Alnus 219, 470, 472; rubra 456; rugosa 372, 386; sinuata 456, 470
Alternaria tomato 504
Amalia 1
Amanita 152, 153; alliacea 153; anisata 153; caesarea 1; flavoconia 152; flavorubescens 152; gemmata 152; mappa 1; muscaria 1; odorifera 153; pantherina 1; phalloides 1, 152; porphyrea 1; pustulata 1; **Rhoadsii** 37; **Roanokensis** 152, 153; rubescens 1; spissa 1; strobiliformis 1; suballiacea 153; umbrina 1; verna 4, 5, 152; virosiformis 153
Amaryllis 429
Amelanchier oblongifolia 378, 386
American Botanical Literature, Index to 53, 124, 180, 250, 330, 420, 495, 573, 635
Amianthium muscaetoxicum 573
Ammophila arenaria 617, 618; breviligulata 618
Ampelamus 611, 613; albidus 611
Amphizoma 232, 238–240
Amphorophora rubi 255
Amsonia tabernaemontana 129
Anabaenopsis elenkini 78
Ananas 644
Anaphalis margaritacea occidentalis 456
Anaueria 186, 256
Anchistea virginica 380, 384
Ancylistes 54
Andreaea Rothii 97, 114
Androstephium 163
Androtrichum 181
Aneimites acadica 301
Anemia 273; phyllitidis 279; narcissiflora 456; quinquefolia 374, 386
Angiopsora 620
Aniba 186, 256
Annona Ambotay 306, 310
Antennaria plantaginifolia 388
Anthodon grandiflorus 247
Antirrhinum 182
Aphanocapsa castagnei 78
Apical Meristem in the shoots of Taxodium distichum, The structure and development of the 431
Apios tuberosa 373, 386
Aplanobacter stewarti 422

INDEX TO VOLUME 66

New species and the final members of new combinations are in **bold face type.**

Abies 58, 447, 449; balsamea 462; concolor 452, 462; grandis 216, 219; lasiocarpa 216
Acer 187, 219; glabrum 219; glabrum Douglasii 466; Negundo 461; platanoides 461; rubrum 370, 386, 466, 486; saccharinum 460, 461; Saccharum 461
Achillea borealis 456
Achlya 252; flagellata 261
Acroporium guianense 229; pungens 229
Actidesmium 504
Actinocheita 636
Actinomyces discofoliatus 188; erythropolis 498; scabies 425
Additions to Florida fungi—I 29
Additions to the algae of Michigan 77
Additions to the flora of the Glacier Bay National Monument, Alaska 453
Adiantites 301
Adromischus subcompressus 132
Aegiphila 257
Agapanthus 162
Agaricus 29, 152; floridanus 152; iodoformicus 335; placomyces badius 152; pocillator 152; projectellus 152; **Rhoadsii** 29; subrufescens 30; sylvicola 152; **Weberianus** 29
Agave 127
Agrolimax 1
Agropyron 186, 317, 323, 324, 337; divergens 327; glaucum 337; inerme 327, 497; repens 324; spicatum 217, 327, 328, 497; spicatum inerme 328
Agropyron spicatum and A. inerme, The Taxonomy and Ecology of 327
Agrostis exarata 453
Ailanthus altissima 637
Alaska, Additions to the flora of the Glacier Bay National Monument 453
Alcicornopteris 298, 302
Algae of Michigan, Additions to the 77
Alisma 540
Allium 57, 162
Allomyces arbuscula 60
Allopuccinia 179
Alnus 219, 470, 472; rubra 456; rugosa 372, 386; sinuata 456, 470
Alternaria tomato 504
Amalia 1
Amanita 152, 153; alliacea 153; anisata 153; caesarea 1; flavoconia 152; flavorubescens 152; gemmata 152; mappa 1; muscaria 1; odorifera 153; pantherina 1; phalloides 1, 152; porphyrea 1; pustulata 1; **Rhoadsii** 37; **Roanokensis** 152, 153; rubescens 1; spissa 1; strobiliformis 1; suballiacea 153; umbrina 1; verna 4, 5, 152; virosiformis 153
Amaryllis 429
Amelanchier oblongifolia 378, 386
American Botanical Literature, Index to 53, 124, 180, 250, 330, 420, 495, 573, 635
Amianthium muscaetoxicum 573
Ammophila arenaria 617, 618; breviligulata 618
Ampelamus 611, 613; albidus 611
Amphizoma 232, 238–240
Amphorophora rubi 255
Amsonia tabernaemontana 129
Anabaenopsis elenkini 78
Ananas 644
Anaphalis margaritacea occidentalis 456
Anaueria 186, 256
Anchistea virginica 380, 384
Ancylistes 54
Andreaea Rothii 97, 114
Androstephium 163
Androtrichum 181
Aneimites acadica 301
Anemia 273; phyllitidis 279; narcissiflora 456; quinquefolia 374, 386
Angiopsora 620
Aniba 186, 256
Annona Ambotay 306, 310
Antennaria plantaginifolia 388
Anthodon grandiflorus 247
Antirrhinum 182
Aphanocapsa castagnei 78
Apical Meristem in the shoots of Taxodium distichum, The structure and development of the 431
Apios tuberosa 373, 386
Aplanobacter stewarti 422

Apodachlya 252
Apogamy in Pteris cretica Linn. var. albolineata Hod., The cytology of 549
Arabis hirsuta 456; lyrata 454; lyrata glabra 456; pycnocarpa glabrata 456; viridis heterophylla 422
Arachnopeziza 259
Arbutus pilosa 23; xalapensis 22
Archaeopteris 303; Bochschiana 301
Ardisia crenata 647; crispa 647
Argemone platyceras rosea 645
Argomycetella 174, 175; dolichospora 174; pressa 174, 175, 177; pura 174, 175, 178
Argyroxiphium 617; sandwicense 617
Arion 1; subfuscus 1
Arisaema triphyllum 378, 385
Aristida oligantha 464
Armillaria 1; alphitophylla 31, 151; Boryana 31, 151
Arnica latifolia 456
Arnold, Chester A., Lagenospermum imparirameum sp. nov., a seedbearing fructification from the Mississippian of Pennsylvania and Virginia 297
Artemisia tridentata 217, 332
Arthrobotryum 577
Arthrodesmus bulheimii subincus 83; phimus 83; phimus occidentalis 83; triangularis inflatus 83
Arum maculatum 539
Aruncus sylvester 456; vulgaris 456
Arundinaria tecta 382
Asarum 289; canadense 288
Asclepiads, Some incorrectly described 605
Asclepias 606, 608–611; brachystephana 606; curassavica 606; debilis 605; incarnata 606; incarnata pulchra 373, 387; parviflora 605, 606; perennis 605–611; perennis parvula 607; pulchra 606; quadrifolia 606; texana 607, 610; Texensis 606; Syriaca 613
Asclepis 181
Ascyrum hypericoides 387
Ashbya 149; gossypii 139–145, 148–150
Asparagus 546
Aspergillus flavus 186; niger 260, 644; tamarii 186
Aspidium 47; confertum 47, 51; falcatum 550, 551, 559; filix-mas 561; filix-mas cristata 550, 551, 559, 560; glandulosum 47; heterodon 51; Hookeri 51; ludovicianum 502; meniscioides 47, 50; remotum 550, 551, 559, 560
Asplenium platyneuron 378, 384
Aster 125, 373, 375; amethystinus 648; lateriflorus 388; multiflorus 464, 648; novae-angliae 648; novi-belgii 380, 388; paniculatus 376, 388; surculosus 388; tardiflorus 388; tradescanti 388; vimineus 388
Athyrium acrostichoides 374; asplenioides 378, 384; filix foemina clarissima 550; thelypteroides 378, 384
Atrichum 250; Macmillani 250
Atriplex argentea 217
Auxin, Further analysis of the pea test for 391
Avena 124, 260, 499, 539, 576, 638
Azalea 287, 289
Azolla 275
Azotobacter 61, 136, 191; agilis 644

Baccharis 620; glutinosa 620; halimifolia 373, 388
Bacillus subtilis 189
Backus, Myron P., The mechanics of conidial fertilization in Neurospora sitophila 63
Bacterium tardicrescens 129
Bailey, I. W., The microfibrillar and microcapillary structure of the cell wall 201
Balsamorhiza sagittata 217
Baptisia 185
Barbula 93–97, 104, 111–113, 116–118, 428; acuminata 93, 95, 106; acuta 96, 97, 99, 107, 108, 115; agraria 93, 96, 97, 103, 111; amplexa 97; andreaeoides 97; apiculata 93, 97; artocarpa 97, 117; astoriensis 95; Bakeri 98, 99; Beecheyi 98, 102; Bescherellei 98; Bolanderi 95; brachyangia 95; brachyphylla 98, 99, 103, 109, 110, 116; brachyphylla angustifolia 116; brachypoda 95; brevipes 95; cancellata 100–102; carnifolia 95; chrysopoda 99, 101; circinnatula 100, 102; Closteri 100, 101; convoluta 99–101, 105; Cruegeri 100–102, 108, 111; cylindrica 94, 98–100, 102–108, 110, 112, 115–117; cylindrica vinealis 116; decursivula 103, 106; Dieckii 103, 112; Donnellii 103; Egelingi 95; Ehrenbergii 103, 104; elata 104, 105, 117;

eustegia 105, 106, 110; fallax 96, 98, 103, 106, 109, 111, 114, 115, 117; flavipes 106; flexifolia 93, 102, 106, 117, 118; gracilis 95–97, 107, 115, 117; gracilis squarrulosa 95; Hornschuchiana 110; horridifolia 102, 107; icmadophila 95, 107; indigens 107, 108, 116; insulana 102, 108; Johansenii 108; Jooriana 101, 102, 108; laeviuscula 95; lanceolata 93, 108; lateritia 109, 116; latoexcisa 95; leptotricha 95; macrotricha 95; megalocarpa 95, 109, 112; michiganensis 106, 109; oenea 109; papillinervis 95; perannulata 105, 110; platyneura 110, 114; pseudoaciphylla 95; pseudorigidula 102, 110; purpurea 99, 110, Raui 96, 103, 111; Ravenelii 101, 111; recurvifolia 111; reflexa 106, 109, 111; revoluta 114; rigens 111; rigidula 98, 110–113; robustifolia 102, 112; rotunda-emarginata 95; rubiginosa 95, 102, 103, 109, 112, 115; rufipila 95; Saundersii 113, 116; semitorta 113, 116, 117; sinuosa 113; spadicea 113; sparsidens 106, 114; spiralis 110, 114; stricta 93, 114; subandreaeoides 114; subcaranifolia 95; subcuneifolia 95; subcylindrica 102, 115; subfallax 102, 115, 117; subgracilis 115; subicmadophila 95, 112, 115; submegalocarpa 95; tortellifolia 102, 115; Treleasei 115, 116; unguiculata 95, 97, 100, 101, 108, 109, 113, 114, 116; vinealis 93, 94, 97, 98, 99, 102, 104–107, 109, 113, 115–118; vinealis flaccida 117; virescens 104, 105, 116–118; Waghornei 118
Barbula in North America north of Mexica 93
Bartonia virginica 380, 387
Bartram, Edwin B., Mosses of interior British Guiana 221
Basistemon 330
Batodendron arboreum 630
Beaucarnea 588; **Amelia** 584–586, 588; guatemalensis 586; **petenensis** 586; pliabilis 588
Beaven, George Francis and Henry J. Oosting, Poconoke Swamp: a study of a cypress swamp on the eastern shore of Maryland 367
Begonia 511; Rex 512; semperflorens 187
Beilschmiedia 185, 256
Benzoin aestivale 373, 386
Berberis 293; Thunbergii 462
Besleria 500
Betula 219, 470; 530; **idahoensis** 465, 468, 470; lenta 465, 468, 472; nigra 376, 386; papyrifera 461
Bidens comosa 373, 388; discoides 373, 388; laevis 388; trichosperma 376, 388
Bignonia capreolata 372, 387
Billia 499
Biotin, Preliminary experiments on 139
Bitzea 335; Ingae 173
Blakea **Mexiae** 419; paludosa 419; Spruceana 419
Blastocladia 495
Blastospora 177, 179, 335; ascotela 177; Hygrophilae 177
Blechnum 39; asplenioides 43; Buchtienii 44; capense 44; **delicatum** 41, 43; distans 41; Juergensii 41; laevigatum 41; **malacothrix** 40, 41; penna-marinum 44; Raddianum 44
Bletia 643
Boehmeria cylindrica 373, 386
Boletus 1, 4, 5, 152; ananas 152; aureissimus 152; bicolor 152; communis 152; edulis 152; felleus 152; granulatus 152; hemichrysus 152; luridus 152; pictiformis 152; pisciodorus 152; scaber 5; subflavidus 152; **umbrinisquamosus** 37
Bolivia and Peru, New ferns from 39
Bomarea 129
Boottia 187
Botanical components of Curare—II, Notes on the 305
Botanical Literature, Index to American 53, 124, 180, 250, 330, 420, 495, 573, 635
Bothrodendron 275
Botrychium lanceolatum 499; multifidum 332; obliquum 384; virginianum 378, 384
Botryosphaeria Ribis 648
Bouvardia dictyoneura 602; **venosissima** 602
Brevoortia 163, 165
Brief history of Chinese herbs and medicine, A 563
British Guiana, Mosses of interior 221
Brodiaea 161–166, 424; congesta 161, 163; Felipponei 162; grandiflora 161, 164;

porrifolia 162; Spegazzinii 162; Tweediana 162; uniflora 162
Brodiaea, A definition of the genus 161
Bromus tectorum 464
Brucella 640
Brunsvigia gigantea 429
Bryophyllum calycinum 192
Bryum coronatum 225
Buchnera 258
Buell, Murray F., Peat formation in the Carolina Bays 483
Bulbochaete angulosa 80; furberae 80; nana 80; repanda 80
Bulgaria polymorpha 1
Burkillanthus 645
Bursera heteresthes 496; tecomaca 496; trimera 496
Butia 36; capitata 35

Calamagrostis canadensis 453
Calamovilfa 618
Calathiops 297, 298, 301, 302; Bernhardti 302, 303; plauensis 302
Callicarpa americana 630
Callicostella depressa 227; rufescens 227
Calliprora 163, 165
Callixylon 331
Calochortus 421, 573
Calosphace 333, 576
Calothrix adscendens 78
Calpodium wrightii 455
Caltha leptosepala 456
Calycanthus 229; fertilis 288
Calymperes disciforme 225; Donnellii 224; lonchophyllum 225; nicaraguense 225; Richardi 223; Smithii 223, 224; Sprucei 224
Calyptospora Geoppertiana 333
Camelina sativa 463
Camp, W. H., Studies in the Ericales IV. Notes on Chimaphila, Gaultheria and Pernettya in Mexico and adjacent regions 7
Campanula 289; lasiocarpa 456; rotundifolia 288
Campylocentrum 53
Campylopus savannarum 221
Canna 422
Cantharellus aurantiacus 4, 5; multiplex 134
Capsella Bursa-pastoris 463
Capsicum annuum 581
Caragana 462
Cardiopteridium Holdeni 299, 301
Carex 260, 378; albicans 136; aquatilis 453; area 453; brunnescens 453; canescens 383, 385; crinita 373, 385; debilis 373, 385; foenea 136, 385; folliculata 373, 385; intumescens 373, 385; leptalea 453; limosa 453; lupulina 373, 385; lupulina pedunculata 385; lurida 380, 385; picta 641; pyrenaica 453; rostrata 453; serosa 373, 385; spectabilis 454; stipata 376, 385; straminea 136; stricta 385; vesicaria 385; viridula 454
Carica papaya 503
Carpinus 465, 466, 472, 518, 535; Betulus 472; caroliniana 372, 386, 465, 472; caroliniana tropicalis 472
Carya Buckleyi arkansana 452
Cascaronia astragalina 57
Cashalia 499
Cassia chamaecrista 386; marilandica 386
Cassiope mertensiana 456; stelleriana 456
Cassipourea belizensis 598; podantha 598
Castalia odorata 376, 386
Castanea 474, 517, 526
Castilleja pallida elegans 456
Casuarina 646
Catermaria 61
Cause of Pecky Cypress, The 87
Ceanothus 335; foliosus 259
Cedrus 636
Celastrus 465, 466, 480; scandens 465, 480
Cell wall, The microfibrillar and microcapillary structure of the 201
Celtis occidentalis 459
Centaurium pulchellum 387
Centradenia 289; floribunda 288
Cephalanthus occidentalis 373, 388
Cephaloziella Starkii 185
Ceratium hirundinella 615
Ceratostomella ips 636; ulmi 191, 646, 647
Chaconia 173, 178, 179, 335; alutacea 174
Chaetomorpha 493
Chamaecrista 134
Chamaecyparis nootkatensis 455; thyoides 370, 385, 486
Chamaedorea 496
Chan, Leonard, A brief history of Chinese herbs and medicine 563
Chara 251

Characiopsis longipes 78
Characium ornithocephalum 81
Charybdis 333
Chascanum 426, 500
Cheilanthes 504; alabamensis 498; andina 39
Cheiloclinium 232
Chelone glabra 373, 387
Chenopodium 290; album 463
Chilenia 182
Chimaphila 7, 331; acuminata 7; dasystemma 7, 8; guatemalensis 7, 8; maculata 7, 8; maculata acuminata 7; Menziesii 8
Chimaphila, Gaultheria and Pernettya in Mexico and adjacent regions, Studies in the Ericales IV. Notes on 7
Chinese herbs and medicine, A brief history of 563
Chionanthus virginica 372, 387
Chlamydobalanus 353
Chlorella 573, 646; vulgaris 189, 337
Chlorophytum elatum 336
Chloroscypha 134
Choanephora cucurbitarum 252
Chondodendron 308; iquitanum 306–308, 314; tomentosum 306, 308, 309, 314
Chrysler, M. A. and D. S. Johnson, Spore production in Regnellidium 263
Chrysocapsa planctonica 80
Chrysocelis 178
Chrysocyclus 178
Chrysopsis mariana 388
Chrysothamnus nauseosus 217
Chytridium 252; lagenaria 285; Olla 285; Schenkii 285; transversum 285
Cichorium 273
Cicuta maculata 375, 387
Cinna arundinacea 373, 385
Cinnamomum 330
Cirsium oleraceum 3
Cissampelos ovalifolia 309; pareira 307, 309
Cistus 292
Cladosporium 254
Cladothamnus pyrolaeflorus 456
Cladrastis lutea 339
Clercia 241
Clermontia 503; grandiflora 503
Clethra alnifolia 373, 381, 387, 486
Clidemia 418; cymifera 419; ecuadorensis 418; gracilipes 418, 419; japurensis 418; naevula 418
Clitocybe illudens 59; pinophila 157; subpinophila 156; subtruncicola 157; tabescens 258
Clitoria Ternatea 288
Closterium abruptum 83; aciculare subpronum 83
Clymenia 645
Coccoloba 583; barbadensis 593; corozalensis 587, 588, 591; Gentlei 589, 591; guyanensis 594; hondurensis 591, 593; lancifolia 593; laurifolia 593, 594; leptostachya 593; marginata 593; myana 597; Schiedeana 593; Schippii 594; spicata 594, 595, 597
Coccothrinax 635
Cocos australis 35
Coelosphaerium Kützingianum 616; Naegelianum 616
Coffea 578; arabica 54; excelsa 425
Coldenia 60; Nuttallii 339
Coleosporium Madiae 617
Colletotrichum circinans 261
Collybia 1; albida 37; aurantiaca 160; Boryana 31; castaneidisca 160; floridana 160; mammillata 160; palmarum 37
Cololejunea 183
Columnea hirta 259
Comandra pallida 55
Commelina 541, 543, 545, 547; angustifolia 540, 542, 544; coelestris 539, 540; communis 580; dianthifolia 540; graminifolia 540; hirtella 385; stricta 540; tuberosa 539
Commelina angustifolia Michx., The development of the embryo sac and the seed of 539
Commelinantia Pringlei 540, 544, 548
Conidial fertilization in Neurospora sitophila, The mechanics of 63
Coniosporium 57
Conostegia hispida 415, 416; multiflora 416; setosa 416; Poeppigii 416
Constance, Lawrence, The genus Pholistoma Lilja 341
Controlled differentiation in a plant tissue culture 507
Convolvulus arvensis 463; cneorum 58

Cooper, William S., Additions to the flora of the Glacier Bay National Monument, Alaska 453
Cooperia kansensis 135
Coprinus 1; urticaecola 498
Cordyceps 641
Coreopsis 134
Coriolopsis crocata 151
Coriolus membranaceus taxodii 152; pinsitus 151; sector 151
Cornus amomum 373, 387; canadensis 456; florida 387
Coronastrum 339
Corticium 515
Corticolus 124
Cortinarius 1; caninus 5
Coryneum 191
Cosmarium 77, 337; decoratum 83; depressum reniforme 83; globosum minor 83; humile striatum 83; isthmium 83; nasutum 83; obsoletum 83; pseudoconnatum 83; quadrum 83; repandum 83; tinctum 83
Crataegus 184
Cremanium 417, 418
Cremosperma 130
Crepis 180, 644
Crinodendron tucumanum 332
Crocus Colchicum 539
Cronartium ribicola 55, 189, 330
Cross, G. L., A note on the morphology of the deciduous shoot of Taxodium distichum 167; The structure and development of the apical meristem in the shoots of Taxodium distichum 431
Crotalaria 190; spectabilis 128
Crucigenia apiculata 81; irregularis 81; tetrapedia 81; truncata 81
Ctenoderma 579
Cucumis melo 426
Cucurbita 503; maxima 56
Cuervea 242
Cunninghamella 250
Curare—II., Notes on the botanical components of 305
Curatella americana 222
Cuscuta 333; acuta 624; compacta 373, 387; palustris 623; yucatana 624
Cuscuta from Yucatan, A new species of 623
Cyanea 424
Cyclobalanopsis 353
Cyclobalanus 353
Cyclodium 47, 48, 336; confertum 47, 51; glandulosum 47; meniscioides 47–50; rigidissimum 51
Cyclodium, On the genus 47
Cyclonexis 504
Cycloporellus iodinus 151
Cylindrocarpon radicicola 59
Cylindrocystis brebissonii 83; brebissonii minor 83
Cyperus 181; distinctus 500; Eragrostis 131; oxylepis 131; rivularis 385; virens 131
Cypress swamp on the eastern shore of Maryland, Pocomoke Swamp: a study of a 367
Cypress, The cause of Pecky 87
Cypripedium acaule 385; calceolus pubescens 252
Cyrilla racemiflora 486
Cyrtomium 550, 551, 559
Cytisus 261
Cytology of apogamy in Pteris cretica Linn. var. albo-lineata Hort., The 549

Dalbergia 176; Sissoo 176
Dalea 637
Dasylirion pliabile 588
Datura 643
Daubenmire, Rexford F., The taxonomy and ecology of Agropyron spicatum and A. inerme 327
Daucas carota 639
Deciduous shoot of Taxodium distichum, A note on the morphology of the 167
Decodon verticillatus 373, 381, 387
Definition of the genus Brodiaea, A 161
Delphinium californicum 253; cardinale 54; newtonianum 642
Derepyxis dispar 79, 80
Dermatea acerina 59
Deschampsia atropurpurea 455; caespitosa 453.
Desmatodon 103; Bushii 101, 102; Sprengelii 103
Desmatractum bipyramidatum 79, 81
Desmidium coarctatum 83; swartzii quadrangulatum 83
Desmondium 427
Desmotelium 178

Development of the embryo sac and the seed of Commelina angustifolia Michx., The 539
Dialytrichia 100; cancellata 101
Dianthus 292
Diaporthe 647
Dicaeoma Grossulariae 620
Dichelostemma 163–166; capitatum 165
Dicotyledons, Flower buds and phylogeny of 287
Dicranopteris **boliviensis** 44, 45; rubiginosa 45
Dictamnus 289; albus 288
Dictyostelium discoideum 501
Didymodon 104, 109–113; Dieckii 103, 112; recurvirostris 111; rigidulus 113, 118; rubellus 111; tophaceus 103
Digitaria sanguinalis 462
Diodia teres 378, 388; virginiana 378, 388
Dioscorea glauca 372, 385
Diothanthera 415
Diplazium mapiriense 39
Diplodia 135
Diplophlyctis intestina 285
Distichlis 317, 324
Ditylenchus dipsaci 59
Docidium baculum 83; undulatum 83
Dodecatheon pauciflorum 456
Doryopteris 221
Dracaena petenensis 586
Drosera rotundifolia 454
Dryopteris 47, 48, 61, 257, 549–551, 554, 559; **calophylla** 49; Christii 48; **clypeata** 49, 52; Goldiana × marginalis 59; idahoensis 467; intermedia 378, 384; meniscioides 49, 50; meniscioides **conferta** 47, 49, 51; noveboracense 378, 384; **paludosa** 49, 50; stipularis 560; subobliquata 48; thelypteris 378, 384; varians 49
Duchesnea indica 618, 619
Dulichium arundinaceum 376, 385

Earliella corrugata 151
Echeveria 137
Echinocereus 337; maritimus 133; pentalophus 133
Echinochloa crusgalli 385
Eclipta alba 373, 388
Ecology of Agropyron spicatum and A. inerme, The taxonomy and 327
Eight undescribed species of Melastomataceae 415
Eisenia arborea 182, 424
Elaeodendron macrophyllum 233
Elaeophorbia 56
Elakatothrix gelatinosa 80; viridis 80
Elaphoglossum 39, 500
Elaphomyces 640
Eleocharis 124, 644; obtusa 378, 385; Robbinsii 637; tuberculosa 380, 385
Elephantopus nudatus 388; tomentosus 388
Elettaria 539
Elfvingia tornata 151
Ellisia 341, 342, 344; membranacea 350; membranacea hastifolia 350–352; Nyctelea 341
Elymus virginicus 376; virginicus glabriflorus 385
Elytraria 61
Embryo sac and the seed of Commelina angustifolia Michx., The development of the 539
Empusa 648
Enslenia 611–613; albida 611, 612
Entophlyctis vaucheriae 284
Entophysalis 492, 494; granulosa 492; **marginalis** 490–492
Entosthodon Wigginsii 136
Entyloma 126
Epigaea repens 387
Epilobium 58; angustifolium 380, 387; hornemanni 456; latifolium 456; palustre 454
Epiphyllum splendidum 258
Equisetum 501; arvense 384; fluviatile 453; praealtum 134; pratense 501; telmateia 504
Erechtites hieracifolia 388; megalocarpa 645
Eremocarpus Bentham 192
Erianthus saccharoides 380, 385
Ericales IV. Notes on Chimaphila, Gaultheria and Pernettya in Mexico and adjacent regions, Studies in the 7
Erigeron annuus 464; canadensis 388; peregrinus 456
Eriogonum 187, 255; Abertianum 423; alleni 53
Eriophorum chamissonis 454; virginicum 380, 385
Eriosporangium 175, 619

Eryngium aquaticum 387
Erysiphe 3; cichoracearum 4, 5; horidula 3; polygoni 4, 5, 259
Erythrina 578
Erythrobalanus 353–356, 358–363, 648
Erythrochiton 310; delitescens 310; macropodum 310
Espostoa lanata 181; sericata 181
Euastropsis 82; richteri 79, 81
Euastrum binale hians 83; pectinatum brachylobum 83; pulchellum 83; sinuosum reductum 84; ventricosum 84
Eublakea 419
Eucapsis alpina 78
Euchlaena mexicana 55
Eucrypta 332, 342, 352
Eucyperus 428
Eugoniopteris 48
Euonymus corymbosus 502
Euosmolejeunea 191
Eupatorium hyssopifolium 388; pubescens 388; purpureum 380, 388; rotundifolium 388; serotinum 388; verbenaefolium 380, 388
Euphorbia 56; maculata 463
Eutettix tenellus 192
Eutypella 183
Evonymus americanus 373, 386
Exacum 291
Excised tomato roots in a synthetic solution, Growth of 193
Exothea paniculata 625, 626
Experiments on biotin, Preliminary 139

Fabraea maculata 58, 333
Fagus 466, 472; grandifolia 376, 386, 465, 470, 473, 574; longipetiolata 473; pacifica 472, 473; washoensis 465, 470, 472, 473, 476
Fatsia horrida 456
Feijoa 291
Ferns from Bolivia and Peru, New 39
Ferocactus acanthodes 133; unciatus 189
Festuca octoflora 464; ovina brachyphylla 453, 455
Ficus 306, 307; atrox 307; paraensis 307
Fimbristylis autumnalis 385
Fissidens radicans 221
Flora of eastern American aspect in the miocene of Idaho, A 465
Flora of the Glacier Bay National Monument, Alaska, Additions to the 453
Florida fungi—I, Additions to 29
Flower buds and phylogeny of Dicotyledons 287
Fomes 87; Auberianus 87; extensus 625–627; geotropus 87, 88, 90, 91, 152; pinicola 60, 130; ulmarius 87
Forest climax: the salt spray climax of Smith Island, N. C., A new 629
Forsythia 289; suspensa 462; viridissima 287
Fragaria 618, 619; vesca 618
Franceia droescheri 82
Frankenia 292
Franklinia 423
Fraxinus 465, 466, 481; americana 461; pennsylvanica lanceolata 370, 387, 460; quadrangulata 465, 481
Freycinetia 57
Fritillaria liliacea 260; persica 547
Frommea 619; Duchesneae 618, 619; mexicana 618; obtusa 619
Fuligo septica 4, 5
Fungi—I, Additions to Florida 29
Fungi, Oligocene Islands 151
Further analysis of the pea test for Auxin 391
Fusarium 429, 639; Graminearum 576

Galactopus rugosodiscus 32; serifluus 32, 37
Galium Claytoni 388
Galtonia 547
Ganoderma 35; Curtisii 34; sulcatum 35, 36
Gardenia 132
Gasteria 132
Gaultheria 9, 16, 23, 26–28, 331; acuminata 9–12; chiapensis 12; Conzattii 16–20, 26; Conzattii mijorum 17, 19, 20; costaricensis 21; Cummingii 18; domingensis 19, 20; glandulifera 21; Hartwegiana 14, 15; hidalgensis 13; hirsuta 23; hirtiflora 15, 16; laevigata 10; lancifolia 13, 14; lancifolia dulcis 14; Nelsonii 10; nitida 9, 10; odorata 13–16; ovata 9, 10; parviflora 18, 21; parvifolia 18, 19; poasana 21; Pringlei 10, 11; procumbens 377, 387; Schiedeana 18, 19; sphagnicola 19, 20; tacanensis 20, 21, 25

Gaultheria and Pernettya in Mexico and adjacent regions, Studies in the Ericales IV. Notes on Chimaphila 7
× **Gaulthettya** 26; **oaxacana** 26, 27
Geaster 55
Gelasinospora 75, 76; tetrasperma 75, 76
Gentiana 291; calycosa 456; formosana 621; glauca 620; humilis 454; latifolia 373; Saponaria 378, 387
Genus Pholistoma Lilja, The 341
Genus Stereum in Pennsylvania, The 515
Geoffroea spinosa 637
Geonomas 635
Gerardia purpurea 378, 387
Germination of the resting spores, Studies on Rhizophidium. III. 281
Geum calthifolium 456; macrophyllum 456
Gibberella Saubinettii 576
Ginkgo 121, 426, 442, 444, 450; biloba 121, 122, 184, 442, 452
Ginkgo, Pollen longevity of 121
Glaucocarpum 133
Gleason, H. A., Eight undescribed species of Melastomataceae 415
Gleditsia 338; triacanthos 460
Gloeocapsa 490, 492; rupestris 78
Gloeochaete wittrockiana 78, 79
Gloeocystis ampla 80
Gloeophyllum striatum 151
Gloeosporium rosaecola 125
Glomerella gossypii 191
Glossocentrum 416
Glyceria obtusa 373, 385
Glyptostrobus 167
Gnaphalium helleri 388
Gnomonia ulmea 132
Golenkinia radiata 82
Gonatozygon brebissonii 83; brebissonii minutum 83; kinahani 83; leiodermum 83; pilosum 83
Goniopteris 48
Gonium formosum 80
Gonolobus 131, 612, 613; laevis 611–613; suberosus 612
Goodyera decipiens 454
Gordonia 291
Gossypium 137, 504
Gratiola virginiana 387
Grayia spinosa 217
Growth of excised tomato roots in a synthetic solution 193
Guepinia Spathularia 251
Gundersen, Alfred, Flower buds and phylogeny of Dicotyledons 287
Gymnodinium palustre 84
Gymnopus 32; acervatus 158; **albidus** 32, 37; albistrictus 158; **aurantiacus** 157, 160; **castaneidiscus** 157, 160; **floridanus** 158, 160; **mammillatus** 158, 160; **palmarum** 32, 37; subluxurians 158
Gyroporus **umbrinisquamosus** 33, 37
Gyroweisia tenuis 428

Habenaria Andrewsii 497; clavellata 374, 385; cristata 374, 385; lacera 380, 386
Habranthus 423; robustus 58
Halenia Hintoni 496
Halicystis 60, 131, 181
Hamamelis virginiana 386
Hansen, Henry P., Pollen analysis of a bog near Spokane, Washington 215
Hapalopilus licnoides 151
Harper, Roland M., Some incorrectly described Asclepiads 605
Harposporium Anguillalae 127
Harrimanella stelleriana 456
Haworthia 132, 189
Hedyotis pressus 177
Helenium autumnale 376, 388; nudiflorum 581
Heliocarpus glanduliferus 597; **horridus** 597
Heliothis obsoleta 331
Helix arbustorum 1; aspera 1, 3; cantiana 1; fruticum 3; hispida 1; hortensis 1; nemoralis 1; rotundata 1; pericea 1; thyroides 3; virgata 3
Henoonia 499
Herbs and medicine, A brief history of Chinese 563
Hesperoscordum 163, 165
Heterachtia 539, 545
Heterodera schachtii 423
Heterotheca subaxillaris 388
Heuchera glabra 456
Heun, Alphonse L., The cytology of apogamy in Pteris cretica Linn. var. albo-lineata Hort. 549
Hexagona daedalea 151
Hibiscus 291, 376; moscheutos 387; oculiroseus 387
Hieracium gracile 456; venosum 388

Hintonella 180
Hippeastrum 429
Hippocratea 231, 242
Hirneola Wrightii 152
Histoplasma capsulatum 577
Hollenberg, George J., Some new Myxophyceae from southern California 489
Holomitrium arboreum 222
Holopedium irregulare 78, 79
Hookera 161, 163, 164; coronaria 161, 163, 164; pulchella 161
Hookeropsis Parkeriana 227
Hoover, Robert F., A definition of the genus Brodiaea 161
Horkelia 334
Hornea 181
Horneophyton 181
Houstonia caerulea 378, 388
Howea 635
Humulus lupulus 3
Hydrocotyle 337; umbellata 375, 387
Hydrocybe nitida 159; nitida **lutea** 159; ruber 159; **subruber** 159, 160
Hydrodictyon 282; reticulatum 281
Hydrotheria venosa 53
Hygrophila salicifolia 177
Hygrophorus floridanus 159; **subluridus** 159; subpratensis 159; **subruber** 160
Hymenochaete 532
Hyophila 104; tortula 225
Hyophiladelphus 96
Hypericum 61, 290, 293; canadense 387; densiflorum 290; ellipticum 290; gentianoides 290, 387; perforatum 291; virginicum 380, 387
Hypholoma 1
Hypochnus 501
Hypomyces lactifluorum 4, 5
Hypoxylon pruinatum 132
Hyptis 333

Ichnanthus 619; candicans 619
Ilex 291, 579; glabra 377, 386; opaca 371, 386, 630; verticillata 373, 386; vomitoria 630, 632
Impatiens 339; biflora 373, 386
Imperata Hookeri 504
Index to American Botanical Literature 53, 124, 180, 250, 330, 420, 495, 573, 635
Inocybe fastigata 1
Inonotus fruticum 152; ludovicianus **melleus** 34
Interior British Guiana, Mosses of 221
Ipomoea coccinea 387
Ips lecontei 636
Iris 293; fulva 338; hexagona giganticaerulea 338; pumila 291; versicolor 375, 385
Isactis 489
Isoetes 411, 412; virginica 411, 642; virginica **piedmontana** 411, 412
Isoetes virginica, A new variety of 411
Itea virginica 373, 381, 386
Iva ciliata 573
Ivesia 334
Ixora 574

Jacobina spicigera 573
Jasminum 335
Johnson, D. S. and M. A. Chrysler, Spore production in Regnellidium 263
Jouvea 315, 316, 323–325, 503; pilosa 315–317, 319, 320, 324; straminea 315–319, 321
Jouvea (Gramineae), The morphology and phylogenetic position of the genus 315
Juglans hesperia 468; nigra 461
Juliania 499
Juncus acuminatus 380, 385; arcticus 454; aristulatus 385; canadensis 385; effusus 380, 385; marginata 380, 385; setaceous 378, 385
Juniperus 462; virginiana 185, 371, 385, 461, 629, 632

Kalanchoe 636; tomentosa 574
Kalmia angustifolia 387; latifolia 377, 387
Kalmiopsis 124
Karling, J. S., Studies on Rhizophidium. III. Germination of the resting spores 281
Kippistia 232, 235–239
Kleinia chordifolia 61; fulgens 61
Kneiffia 605
Kochia scoparia 463
Krigia virginica 388
Krukoff, B. A. and A. C. Smith, Notes on the botanical components of curare—II 305
Kuehneola 173
Kunzea ambigua 53

Labordia 643
Laccaria 1
Lactaria 1; **subtestacea** 31
Lactarius deliciosus 1; piperatus 4, 5
Lactuca 504; canadensis 388
Lagenospermum 297, 302; imparirameum 297–299, 301, 302, 495; Sinclairii 301
Lagenospermum imparirameum sp. nov., a seedbearing fructification from the Mississippian of Pennsylvania and Virginia 297
Lagenostoma 297, 301; Lomaxi 299
Lagerheimia ciliata 82; citriformis paucispina 82
Lagerstroemia indica 4, 5
Lagynion ampullaceum 79, 80
Lamium amplexicaule 463
Lamourouxia 424
Larix occidentalis 216–219
Larrea 352
Lastraea pseudo-mas cristata apospora 550, 559; pseudo-mas polydactyla 549, 550
Lathyrus palustris 454
Lecidia Pringlei 499
Leersia virginica 373, 385
Lentinus crinitus 151; lepideus 134
Lenzites trabea 134
Lepanthes 190
Lepicystis Goniophlebii 39
Lepidium apetalum 463; draba 428
Lepidobalanus 354
Lepidospartum 192
Lepiota 1, 29; dryophila 154; Morgani 151; naucina 153; **praegraveolens** 153; **rubriceps** 153; **subcristatella** 154; **subdryophila** 154
Leptarrhena pyrolifolia 456
Lepturus 319, 321, 323
Leucobalanus 353–356, 358–363, 648
Leucobryum Martianum 222
Leucocoryne 162; ixioides 466
Leucoloma serrulatum 222; tortellum 222
Leucothoë racemosa 373, 387
Ligustrum amurense 462
Lilium 54, 121, 123; auratum 121; hansonii 53; Henryi 547; superbum 378, 385
Limax 1; cereus 1; maximum 1, 4, 5
Limosella 503
Linanthus grandiflorus 645
Linaria canadensis 387
Linum 291; virginianum 386
Lipocarpha 181
Liquidambar 536; styraciflua 370, 386, 626, 627
Liriodendron tulipifera 376, 386
Literature, Index to American Botanical 53, 124, 180, 250, 330, 420, 495, 573, 635
Lithospermum croceum 259
Lobelia 429; cardinalis 375, 388; inflata 388; puberula 388
Loiseleuria procumbens 456
Lolium 317, 323 324
Lomaria brasiliensis 43
Lonchocarpus utilis 306, 310
Long, W. H., Two pocket rots of Hardwood trees 625
Longevity of Ginkgo, Pollen 121
Lonicera 287, 289; fragrantissima 287; japonica 372, 388; sempervirens 388; tatarica 462
Lophodermium pinastri 141, 142, 144, 148, 149
Lorinseria arcolata 373, 380, 384
Lotus Berthelotii 58
Ludvigia alternifolia 373, 380, 387; linearis 387; palustris 378, 387; sphaerocarpa 380, 387
Lundell, C. L., Studies of Mexican and Central American Plants VIII 583
Lupinus 177; nootkatensis 456; paniculatus 176; ramossimus 177; saxatilis 176; soratensis 176; tomentosus 176
Lutkea pectinata 456
Luzula piperi 456
Lycoperdon caelatum 1
Lycopersicum chilense 424; esculentum 424
Lycopodium 447; alopecuroides 381, 384; complanatum 377; complanatum flabelliforme 384; pendulinum 39; sitchense 455
Lycopus rubellus 373, 387; virginicus 387
Lyginopteris 302
Lygodium 274, 278; palmatum 54
Lymantria 184
Lyonia ligustrina 373, 387
Lysiloma bahamensis 625, 627
Lysimachia terrestris 387

Machaerocereus eruca 134
Macrocalyx 344; membranaceus 350

Macromitrium mucronifolium 225; stellatum 226; tumidulum 226
Macrophomina phaseoli 53
Macroscapa 163
Macrosiphum solanifolii 188
Macrosporium sarcinaeforme 641
Madia 617
Magnolia 288, 293; grandiflora 91; oregoniana 465, 480; virginiana 371, 386, 465, 480
Mahonia Swaseyi 334; trifoliolata 334
Mains, E. B., New and unusual species of Uredinales 617; Studies in the Uredinales, the genus Maravalia 173
Mainsia 173
Malaxis monophyllos 124
Mallomonas caudata 80
Mammillaria inaiae 332; insularis 58
Marasmiellus **oligocinsulae** 160
Marasmius 158; **domesticus** 160; **oligoinsulae** 160; pyrinus 574
Maravalia 173—175, 178, 425; achroa 173, 175, 176; albescens 173, 174; ascotela 173, 175, 177; Crotolariae 173, 175; **elata** 176; hyalopsora 173; Hygrophilae 173, 175, 176; pallida 173, 175; **pressa** 177; **pura** 178; utriculata 173
Maravalia, Studies in the Uredinales, the genus 173
Marsilea 263, 264, 266, 268, 270, 273, 274—277, 279, 561; Drummondi 550, 551; quadrifolia 270, 279
Marsoniella elegans 78, 79
Maryland, Pocomoke Swamp: a study of a cypress swamp on the eastern shore of 367
Mastigosporium 135
Maxon, William R. and C. V. Morton, New ferns from Bolivia and Peru 39
McCollum, R. L., The development of the embryo sac and the seed of Commelina angustifolia Michx. 539
Mechanics of conidial fertilization in Neurospora sitophila, The 63
Medicago sativa 182
Medullosa 643; distelica 643
Megachytrium Westonii 285
Megalodonta 643
Melampsora farlowii 639
Melanobalanus 354
Melilotus albus 421
Melosira granulata 616
Meniscium 48, 61
Menyanthes 620
Menziesia ferruginea 456
Mesembryanthemum 292
Meteoriopsis patula 226
Mexican and Central American plants VIII, Studies of 583
Mexico and adjacent regions, Studies in Ericales IV. Notes on Chimaphila, Gaultheria and Pernettya in 7
Mexico, Barbula in North America north of 93
Michigan, Additions to the algae of 77
Miconia **cayumbensis** 416, 417; **cremadena** 417; longifolia 417; minutiflora 417; puberula 417
Micrasterias apiculata fimbriata spinosa 84; conferta hamata 84; conferta novae-terrae 84; expansa 84; muricata 84; radiata gracillima 84; sol ornata 84
Microcapillary structure of the cell wall, The microfibrillar and 201
Microcystis **ovalis** 491, 493, 494; **splendens** 491, 493
Microfibrillar and microcapillary structure of the cell wall, The 201
Microporellus mutabilis 151
Microsphaera alni 2–5
Microsporum lanosum 333
Microthamnion kuetzingianum 80
Microtropis 129
Mikania scandens 373, 388
Milla 162, 163
Mimulus alatus 378, 387; langsdorfii 454, 456; ringens 378, 380, 387
Mirabilis jalapa 59
Mitchella repens 374, 377, 388
Mittenothamnium diminutivum 230
Moenkemeyera 185
Mollisiella 338
Monarda punctata 387
Monerma 321
Monilia 63; sitophila 76
Monotropa uniflora 387
Morchella esculenta 1
Morphology and phylogenetic position of the genus Jouvea (Gramineae), The 315
Morphology of the deciduous shoot of Taxodium distichum, A note on the 167
Morton, C. V., On the genus Cyclodium 47

Morton, C. V. and William R. Maxon, New fern from Bolivia and Peru 39
Morus 462; alba 451
Mosses of Interior British Guiana 221
Mougeotia nummuloides 82; tenuis 82
Murrill, William A., Additions to Florida fungi—I 29; Oligocene Island fungi 151; The cause of Pecky Cypress 87
Mycena 502; alcalina 1; seriflua 37
Mycophagist, The snail Polygyra thyroidus as a 1
Mycosphaerella berkeleyii 640
Myosotis 182
Myrica carolinensis 386; cerifera 377, 381, 386, 630, 632
Myrtus 291
Myxohyella 490; seriata 489, 491

Naias 540
Najas 643
Naucoria 181
Neckeropsis undulata 226
Nematospora gossypii 139, 150
Nemophila 341, 342, 344; arizonica 348; aurita 346; aurita arizonica 348; breviflora 342; erodiifolia 349, 350; membranacea 350; racemosa 349
Neocinnamomum 330
Neoporteria 182
Nephrochytrium stellatum 183
Nephrodium 47, 562; confertum 51; hirtipes 550, 551, 559; 561; meniscioides 50; molle 550, 551, 559, 560; pseudo-mas cristata 550; varians 49 456, 620
Nephrophyllidium 620; crista-galli 454
Nereocystis 254
Nerine curvifolia 576
Nesoluma 425
Netrium digitus lamellosum 83
Neurospora 65, 68, 74–76, 579; crassa 186, 335; sitophila 63, 64, 66, 68, 72–75, 420; tetrasperma 74–76
Neurospora sitophila, The mechanics of conidial fertilization in 63
New and unusual species of Uredinales 617
New ferns from Bolivia and Peru 39
New forest climax: the salt spray climax of Smith Island, N. C., A 629
New Myxophyceae from Southern California, Some 489
New species of Cuscuta from Yucatan, A 623
New species from Tetraedron from Minnesota, A 615
New variety of Isoetes virginica, A 411
Newcomer, Earl H., Pollen longevity of Ginkgo 121
Nicotiana 254, 334, 503, 512; glauca 508; langsdorffii 508; phylesis 330
Nigroporus vinosus 151
Nitella 56, 126, 131, 183, 188, 337; clavata 133
Nolina 588; pliabilis 588
North America north of Mexico, Barbula in 93
Note on the morphology of the deciduous shoot of Taxodium distichum, A 167
Notes on Chimaphila, Gaultheria and Pernettya in Mexica and adjacent regions, Studies in Ericales IV. 7
Notes on the botanical components of Curare—II 305
Notholaena Eckloniana 549
Nothrotherium 128
Notoptera brevipes 619; scabridula 619
Nyctelea 344; membranacea 350
Nymphaea 219; advena 374, 375, 386; tetragona 580
Nymphoides aquaticum 252
Nyssa aquatica 627; biflora 370, 382, 387; sylvatica 370, 387; uniflora 609

Oakesia sessilifolia 385
Oaks indigenous to the United States—I. The importance of secondary Xylem in delimiting Erythrobalanus and Leucobalanus, Secondary vascular tissues of the 353
Obolaria virginica 387
Octoblepharum albidum 222, 325; cylindricum 222
Odontostephana 613
Oedogonium 77; ambiceps 81; exocostatum 80; minisporum 78–80; mitratum 81; oblongum fusiforme 81; oblongum minus 78, 79, 81; psaegmatosporum 81; stellatum 81
Oenothera 605; biennis 387
Oligocene Islands fungi 151

Olivea 178
Olpidiopsis 643
Olyra latifolia 621; micrantha 621
On the genus Cyclodium 47
Onoclea sensibilis 378, 384
Oosting, Henry J. and George Francis Beaven, Pocomoke Swamp: a study of a cypress swamp on the eastern shore of Maryland 367
Ophiobolus graminis 576
Ophiocytium capitatum longispinum 78
Opuntia brevispina 254; humifusa 333; microdasys 134
Orchis spectabilis 137
Orontium aquaticum 375, 385
Orthostichopsis crinita 226; tetragona 226
Osmanthus americanus 630
Osmunda 54; cinnamomea 251, 373, 384; javanica 561; regalis 373, 384, 551, 561
Ostrya 472, 530
Overholts, L. O., The genus Stereum in Pennsylvania 515
Oxypolis Canbyi 498; rigidior ambigua 387; rigidior longifolia 374
Oxyria digyna 456

Papaver 292
Parathesis macronema 496; tetramera 496
Parnassia kotzebuei 454; parviflora 454
Paspalum 579; laeve 385
Passiflora caerulea 184
Paxillus 1
Pea test for Auxin, Further analysis of the 391
Peat formation in the Carolina Bays 483
Pecky Cypress, The cause of 87
Pediastrum 82; boryanum 82; duplex cohaerens 82; integrum glabra 82; tetras 82
Pedicularis lanceolata 387
Peganum 293; harmala 291
Pellaea atropurpurea 550, 551, 559, 561; glabella 499, 561
Peltandra virginica 374, 375, 385
Peltochlaena 48
Peltogyne 57
Penicillium 497, 498, 569–571
Peniophora 515; cinerea 337
Penium cucurbitinum minor 84; exiguum 84; minutum 84
Pennsylvania and Virginia, Lagenospermum imparirameum sp. nov., a seed-bearing frutification from the Mississippian 297
Pennsylvania, The genus Stereum in 515
Penstemon 60, 497; Whippleanus 573
Penthorum sedoides 378, 386
Peonia 191
Pereskia 292
Peridinium pusillum 85; willei 85
Peritassa 233
Perkinsiella vastatrix 642
Pernettya 22, 23, 25–28, 331; buxifolia 23, 25; ciliata 22, 23, 25–28; coriacea 25; hirsuta 23, 26, 27; mexicana 24, 26; obovata 24–26; Pentlandii 22; pilosa 23; prostrata Pentlandii 22; Tomasii 25
Pernettya in Mexico and adjacent regions, Studies in the Ericales IV. Notes on Chimaphila, Gaultheria and 7
Peronospora gangliformis 3; tabacina 426
Persea borbonia 630; pubescens 486
Peru, New ferns from Bolivia and 39
Pezicula 639; acericola 59
Peziza aurantiaca 1; badia 1; domiciliana 337; vesiculosa 1
Pfeiffer, Norma E., A new variety of Isoetes virginica 411
Phacus acuminatus 85; pyrum 85
Phallus impudicus 5
Phaseolus 579; lunatus macrocarpus 59; polystachyus 250
Philadelphus 293; coronarius 291
Phlebia cervina 531
Phleum alpinum 456
Phlox glaberrima melampyifolia 128
Phlyctidium 285, 499
Phlyctochytrium 285
Pholisma 503
Pholistoma 341–345, 637; auritum 342, 343, 345, 346, 348, 349, 352; auritum arizonicum 343, 345, 346, 348; membranaceum 342, 343, 345, 346, 350, 352; racemosum 342, 343, 345, 346, 349, 350, 352
Pholistoma Lilja, The genus 341
Phoma lingam 184
Phorandendron flavescens 372, 386
Phragmidium Fragariastri 618
Phragmites communis 375, 385
Phthirusa 330

Phycomyces 331, 495, 569–572; Blakesleeanus 569
Phyllodoce glanduliflora 456
Phyllostegia 424
Phylogenetic position of the genus Jouvea (Gramineae), The morphology and 315
Phylogeny of dicotyledons, Flower buds and 287
Phymatotrichum 334; omnivorum 59, 642
Physalospora obtusa 124
Phytolacca decandra 386
Phytomonas campestris 137; flaccumfaciens 137; insidiosa 137; michiganensis 137; panici 137; stewarti 187; striafaciens 137; syringae 331
Phytophthora 180, 424
Picea 447, 449; Breweriana 257; engelmanni 216, 219; excelsa 452, 462; glabra 462; pungens 462; sitchensis 455
Pieris nitida 486
Pilosium flaccisetum 227
Pilotrichum bipinnatum 227
Pilularia 271, 272, 274–277; globulifera 275, 279; minuta 277
Pinus 167, 170–172, 442, 447, 449, 452; caribaea 254; contorta 216, 218, 219; echinata 377, 385; montana 452; monticola 55, 189, 216, 218, 219; nigra 461; ponderosa 216, 218, 219; serotina 370, 385; strobus 461, 517, 531, 646; sylvestris 461; taeda 370, 384; virginiana 377, 385
Piper 314
Pireella cymbifolia 226
Pisum sativum 125, 134
Pithecolobium 173; latifolium 173, 176
Pittosporum 155
Pityrogramma ornithopteris 57
Plant tissue culture, Controlled differentiation in a 507
Plants, Studies in Mexican and Central American plants VIII 583
Platanus 288; acerifolia 460; occidentalis 386, 460, 627; orientalis 460
Platydorina caudata 188
Plectonema wollei 78
Pleiospermium 645
Pleospora lycopersici 641
Pleurocapsa minor 78
Pleurorthotrichum 181
Plicatura lateritia 151
Pluchea camphorata 388; foetida 380, 388
Plumbagella 495
Plumbago 289; capensis 287
Pluteus admirabilis 30; fibrillosus 30; **nigrolineatus** 30; **Rhoadsii** 30
Poa pratensis 462; sandbergii 217; wrightii 455
Pocomoke Swamp: a study of a cypress swamp on the eastern shore of Maryland 367
Podophacidium 502
Pogonia ophioglossoides 125
Pogonomyces hydnoides 151
Poliotelium 174, 175; **dolichosporum** 175; **hyalospora** 175; Iresines 174, 175
Pollen analysis of a bog near Spokane, Washington 215
Pollen longevity of Ginkgo 121
Polyctenium 133
Polygala mariana 386
Polygonum 290; arifolium 373, 386; aviculare 463; hydropiperoides 373, 386; pennsylvanicum 380, 386; sagittatum 373, 386, setaceum 380, 386, virginianum 386
Polygyra thyroidus 2–5
Polymyxa graminis 499
Polyphagus euglenae 284–286
Polypodium 39; **megalolepis** 39, 40, 42; penna-marinum 44; polypodioides 372, 384
Polyporus 515; abietinus 184, 333; glomeratus 574; picipes 3, 5; Rhoadsii 152; rigidus 625–627; squamosus 1; sulphureus 1; virgatus 152; zonalis 251, 627
Polystichum 39; acrostichoides 384; aleuticum 55
Polytrichadelphus 181
Polytrichum commune 635
Pontederia cordata 375, 385
Pool, Raymond, J., Some reactions of the vegetation in the towns and cities of Nebraska to the great drought 457
Populus 461, 517; alba 461; alba bolleana 461; grandidentata 465, 468; heterophylla 370, 386; Lindgreni 467; Sargentii 460; tremuloides 534; trichocarpa 456; washoensis 465, 467, 468
Poria 515; Andersonii 574; **Rhoadsii** 33; undata 627; vincta 151; vitellina 33
Potamium vulpinum 229
Potamogeton 540; pulcher 374, 385
Potentilla 619

Preliminary experiments on Biotin 139
Preliminary notes on Hippocrateaceae, Studies of South American plants—VI. 231
Primula 290; cuneifolia 456
Production in Regnellidium, Sport 263
Proserpinaca palustris 380, 387
Protobalanus 355
Prunella vulgaris 387
Prunus lauro-cerasus 630
Psalliota 1
Psedera quinquefolia 372, 386
Pseudananas 644
Pseudocryphaea flagellifera 226
Pseudolpidium 641, 643
Pseudotsuga mucronata 216, 219; taxifolia 462
Psychotria 313; cuspidata 313
Pteridium latiusculum 378, 384
Pteris 553, 555; aquilina 466, 467; calabazensis 466, 467, 474; cretica 559, 560; cretica albo-lineata 549, 552, 554, 558–560; droogmantiana 550, 561; sulcata 549
Pteris cretica Linn. var. albo-lineata Hort., The cytology of apogamy in 549
Pterispermostrobus 298; bifurcatus 301
Ptilimnium capillaceum 387
Puccinia 175, 618, 620; **Ammophilina** 617; amphigena 618; belizensis 621; Caricis 620; cornuta 619; graminis tritici 260; **Ichnanthi** 619; inclita 619; **Nephrophyllidii** 620; riparia 620; **ripulae** 620
Pucciniastrum 58, 621; **alaskanum** 620; Gentianae 621
Pycnoporus sanguineus 151
Pyrenochaeta sacchari 420
Pyrus arbutifolia 373, 386
Pythium 258, 575, 640, 646; arrhenomanes 498; butleri 61, 133; de baryanum 55; ultimum 645

Quadrigula chodati 82
Quercus 353, 355, 358–360, 363, 466, 474, 526, 528, 536, 537, 647; agrifolia 354, 355, 360; alba 358, 376, 386, 461, 627; Applegatei 474; arizonica 359–361, 363; bicolor 357, 386, 466, 478; borealis 461; chrysolepis 355, 360; coccinea 358; douglasii 359, 360, 363; dumosa 359, 360, 363; emoryi 354, 355, 359–361, 363; engelmanni 359, 360, 363; **Eoprinus** 466, 473, 474; hypoleuca 360; ilicifolia 476; Kelloggii 466; lyrata 610; Maccanni 466, 474, 478; macrocarpa 461; Merriami 466, 476, 478; michauxii 376, 386; Muehlenbergii 474; myrtifolia 360, 361; nigra 376, 386; oblongifolia 359, 360, 363; palustris 461; phellos 376, 386; prinoides 474; prinus 466, 474; pseudolyrata 466; reticulata 359, 360, 363; rubra 386, 466, 476; spokanensis 474; spokanensis gracilis 474; stellata 361, 386; tomentella 355, 360; ursina 476; vaccinifolia 360; virginiana 359–361, 363, 629–632; virginiana geminata 357; wislizenii 360

Rachidospermum mexicanum 316
Raddia 233, 245, 246, 248, 249; impressifolia 247
Radiofilum conjunctivum 80
Radula Evansii 182
Ranunculus 293, 421; bongardi 456; cooleyae 456; cymbalaria 454; repens 454
Raouliopsis 54
Ravenelia 258
Regnellidium 264, 268, 270, 272–279, 497; diphyllum 263, 279
Regnellidium, Spore production in 263
Reif, Charles B., A new species of Tetraëdron from Minnesota 615
Reseda 288
Rhabdoderma lineare 78
Rhacopilopsis trinitensis 230
Rhamnus 187
Rhaphidorrhynchium subsimplex 227
Rhaphidostichum **guianense** 228, 229; Schwaneckianum 229
Rhexia aristosa 380, 387; mariana 380, 387; virginica 380, 387
Rhipsalis 289; rhombea 288
Rhizidiopsis emmanuelensis 285
Rhizidium mycophilum 284
Rhizobium 61, 191
Rhizochrysis limnetica 80
Rhizoctonia 184; Solani 134, 499, 646
Rhizophidium 127, 281–285, 334, 499; globosum 281; laterale 285, 334; messanensis 285; ovatum 285; sphaerocarpum 281; transversum 285
Rhizophidium. III. Germination of the resting spores. Studies on 281

Rhizopus suinus 261
Rhodea 301
Rhodobryum Beyrichianum 225
Rhododendron **idahoensis** 466, 476, 480; indicum 287; maximum 183, 466, 481; nudiflorum 373, 375, 387; viscosum 373, 387
Rhodotorula flava 572; rubra 572
Rhopis 636
Rhus copallina 378, 386; toxicodendron 372, 386
Ribes 189; bracteosum 456; petiolare 189
Riella 191
Rigidoporus surinamensis 151
Robbins, William J., Thiamin and symbiosis 569
Robbins, William J. and Mary Bartley Schmidt, Growth of excised tomato roots in a synthetic solution 193; Preliminary experiments on biotin 139
Robinia violacea 637
Rondoletia **tacanensis** 603
Rosa 288, 293; carolina 375, 376, 386
Rottboellia 319
Rozella 135
Rubus 173, 636; arcticus 456; spectabilis 456
Rudbeckia laciniata 373, 388
Ruellia ciliosa 378; ciliosa parviflora 387
Rumex occidentalis 454
Rupalleya 163
Ruppia 540
Ruschia 126
Russula 1, 4, 5, 152; **albiflavescens** 154; crustosa 152; emetica 4, 5; heterophylla 5; heterospora 152; Mariae 152; nigricans 5; pectinatoides 152; **pinetorum** 155; sericeonitens 156; subalbidula 152; **subobscura** 155; subochrophylla 152; **subsericeonitens** 156; uncialiformis 152; variata 152; virescens 4, 5; **Watsoniana** 156; Westii 155
Ruta 291
Rynchospora axillaris microcephala 385; corniculata 373, 385; glomerata 378, 385; macrostachya 376, 385; microcephala 380

Sabal 584
Saccharomyces 61
Sagittaria latifolia 375, 385
Sagraea 418
Salacia 231, 232, 241, 242, 247, 249; **acreana** 233, 243, 244; amazonica 233, 243; anomala 232, 239; **articulata** 232, 235; attenuata 232, 240; **caloneura** 233, 244; **cauliflora** 233, 246, 247; cognata 232, 233, 235; cognata egensis 235; Colasi 233, 243; congestiflora 232, 238–240; corymbosa 232, 240; **cuspidata** 233, 248, 249; **cylindrocarpa** 232, 240, 241; diffusiflora 232, 236; **divaricata** 232, 238, 239; dulcis 233, 243; gigantea 233, 247; **gracilis** 233, 249; grandiflora 247; **impressifolia** 233, 247; juruana 233, 247, 248; **Krukovii** 232, 237–239; laevigata 233, 243; laxiflora 232, 239; **lineolata** 232, 234, 235; **macrantha** 233, 245, 246; Martiana 232, 239, 240; mauritioides 232, 240; **minutiflora** 232, 236, 237; **nectandrifolia** 233, 241, 243; obovata 233, 243; obovata amazonica 243; paniculata 248, 249; **pedunculata** 232, 237; **petiolata** 233, 242, 243; podostemma 236, 237; polyanthomaniaca 233, 247, 248; **solimoesensis** 233, 247; sphaerocarpa 233, 234; Ulei 233, 243
Salix 181, 219; Capraea 512; cordata 331, 466, 470; inquirenda 468; nigra 375, 386; Schimperi 466, 468, 470; sitchensis 456
Salpiglossis 575
Salsola Pestifer 463
Salvia 333, 576
Salvinia 274–276; natans 279
Sambucus canadensis 378, 388; melanocarpa 456
Saperda tridentata 646
Saprolegnia parasitica 503
Sarcobatus vermiculatus 217
Saururus cernuus 373, 386
Saxifraga bongardi 456; bronchialis 454; nelsoniana 456
Scenedesmus abundans brevicauda 82; acutiformis 82; brasiliensis 82; perforatus 82; quadricauda maximus 82; quadricauda parvus 82; quadricauda westii 82
Schizaea 274; rupestris 278
Schizoxylon 183
Schmidt, Mary Bartley and William J. Robbins, Growth of excised tomato roots in a synthetic solution 193; Preliminary experiments on biotin 139

Schroederia judayi 82
Schuetzia 298, 302
Sciadotenia cayennensis 309; similis 308; solimoesana 309; Sprucei 308; toxifera 306–308, 314
Scirpus lineatus 385; olneyi 385; pedicellatus 380, 385
Sclerospora graminicola 187
Sclerotinia 578; fruticola 578
Sclerotium delphinii 131; rolfsii 56
Scolopendrium vulgare 561
Scolytus 261
Scopella 500
Scrophularia nodosa 440
Scutellaria 422
Scylla 333
Scytinotus concolor 160
Secondary vascular tissues of the oaks indigenous to the United States—I. The importance of secondary Xylem in delimiting Erythrobalanus and Leucobalanus 353
Seedbearing fructification from the Mississippian of Pennsylvania and Virginia, Lagenospermum imparirameum sp. nov., a 297
Selaginella 275; apoda 377, 384
Selenastrum bibraianum 82
Selenia dissecta 637
Sematophyllum caespitosum 228; loxense 228
Senecio 251; aureus 388; tomentosus 388
Septoria bromigena 635; graminum 259
Sequoia 167; gigantea 637; sempervirens 637
Setaria 187
Seubertia 163
Shortia 291
Silene pennsylvanica 386
Simmondsia californica 254
Sisyrinchium 186; gramineum 385
Sium cicutaefolium 375, 387
Skierka 579
Smelowskia 133
Smilacina 546
Smilax hispida 385; lanceolata 385; laurifolia 372, 385; rotundifolia 385; tamnifolia 385; Walteri 372, 385
Smith, A. C., Studies of South American plants—VI. Preliminary notes on Hippocrateaceae 231
Smith, A. C. and B. A. Krukoff, Notes on the botanical components of Curare—II 305
Smith, Helen V., A flora of eastern American aspect in the miocene of Idaho 465
Smith Island, N. C., A new forest climax: the salt spray climax of 629
Snail Polygyra thyroidus as a mycophagist, The 1
Sobralia 190
Solanum 422; tuberosum 333; valdiviense 501
Solidago bicolor 330; fistulosa 380, 388; rugosa 388; tenuifolia 380, 388
Some incorrectly described Asclepiads 605
Some new Myxophyceae from southern California 489
Some reactions to the vegetation in the towns and cities of Nebraska to the great drought 457
Sorastrum americanum 82
Sorbus 334; sitchensis 456
Sorghum 251
Soromanes integrifolia 51
Soutellaria 576
South American plants—VI. Preliminary notes on Hippocrateaceae, Studies of 231
Sphaceloma rosarum 125
Sphacelotheca sorghi 137, 503
Sphaerocarpos 185, 191
Sphaerotheca castagnei 3
Sphaerozoma excavatum subquadratum 84
Spiranthes cernua 380, 386; gracilis 386; michuacana 504
Spirea tomentosa 380, 386; Vanhouteii 462
Spirechina 173; Loesneriana 173
Spirogyra 131, 580; orientalis 82
Spirulina laxissima 78
Spore production in Regnellidium 263
Sporobolus neglectus 464; vaginiflorus 464
Sporocybe azalyeae 637
Stachys rigida 183; tenuifolia 387
Stagonospora 256
Staphidium 418
Staurastrum contortum 84; curvatum 84; cuspidatum canadense 84; cuspidatum cornulatum 84; longispinum 84; longispinum bidentatum 84; megacanthum scoticum 84; ophiura 84; paradoxum

longipes 84; pentacerum 84; rotula 84; sublaevispinum 84
Steblotrichum 97, 101
Steere, William Campbell, Barbula in North America north of Mexico 93
Stelis 53
Stellaria longipes 456
Stemonitis fusca 126
Stenotaphrum 319
Stereocaulon 186
Stereophyllum leucostegum 227; radiculosum 227
Stereum 515, 521, 523, 525, 527, 529, 532; abietinum 517, 519, 520; albobadium 518–520, 537; ambiguum 517, 520; Burtianum 516, 518, 520, 522; Chailletii 517, 519, 522; cinerascens 518, 519, 522, 528; diaphanum 516, 518, 522, 524; elegans 151; erumpens 518; fasciatum 518–520, 524, 528, 530, 535; frustulosum 516, 517, 519, 526, 528, 536; fuscum 518–520, 526; gausapatum 516, 518–520, 528, 530, 535, 639; hirsutum 518, 519, 524, 526, 530; insigne 536; lobatum 151; Murrayi 517, 519, 520, 524, 530, 536; ochraceoflavum 518, 519, 526, 531, 533; Pini 517, 519, 520, 531; purpureum 517, 519, 526, 532, 534; radiatum 517, 519, 528, 532; rameale 518–520, 526, 528, 533; roseocarneum 518, 519, 522, 533; rufum 517, 519, 526, 534; rugisporum 517; rugosiusculum 517, 519, 534; rugosum 517–519, 522, 534; sanguinolentum 516, 517, 519, 524, 535; sepium 536; sericeum 518, 519, 522, 526, 535; subpileatum 516, 518, 519, 522, 535; sulcatum 517, 519, 526, 536; versiforme 518, 519, 524, 537; umbrinum 518–520, 536
Stereum in Pennsylvania, The genus 515
Stevensea Wrightii 332
Stewartia 647
Stictis herbacea 4, 5
Stigmatopteris 48, 49; caudata 48; guianensis 48; opaca 48; rotundata 48; varians 48, 49
Stipitococcus urceolatus 78
Streptanthus 130
Streptopus amplexifolius americanus 456
Stropholirion 163, 165
Strophostyles umbellata 386
Structure and development of the apical meristem in the shoots of Taxodium distichum, The 431
Struthantus 330
Struthiopteris 39; brasiliensis 43; Buchtienii 44; penna-marina 44
Strychnos 231, 306, 307, 311–314; Crevauxiana 311; Curare 311; depauperata 311; guianensis 311, 313; Jobertiana 306, 312; Mitscherlichii 306, 313; Mitscherlichii pubescentior 313; Peckii 306, 307, 312, 313; toxifera 307, 310, 314; trichostyla 312
Studies in the Ericales IV. Notes on Chimaphila, Gaultheria and Pernettya in Mexico and adjacent regions 7
Studies in the Uredinales, the genus Maravalia 173
Studies of Mexican and Central American plants VIII 583
Studies of South American plants—VI. Preliminary notes on Hippocrateaceae 231
Studies on Rhizophidium. III. Germination of the resting spores 281
Styrax 646; argenteus 601; magnus 600, 601
Succinea putris 3
Symbiosis, Thiamin and 569
Symphytum officinale 3
Symplocos prionophylla 601; pycnantha 601; tacanensis 601
Syringia vulgaris 3
Syrrhopodon 119; floridanus 100; incompletus 223; ligulatus 223; prolifer 223; rigidus 223; texanus 100, 119

Tabebuia pallida 421
Tacca 540
Taft, Clarence E., Additions to the algae of Michigan 77
Tagetes erecta 617
Tamarix 292
Taphrina 127, 130, 337, 425, 499; aceris 127; lethifera 127; robinsoniana 337; sacchari 256
Taraxacum erythrospermum 462; officinale 454, 462
Taxithelium planum 230
Taxodium 167, 170, 171, 432, 433, 437—440, 442, 445, 447, 449–451; ascendens 167,

385, 486; distichum 91, 167, 370, 382, 385, 421, 431, 432, 437–439, 449, 450, 452, 625, 627
Taxodium distichum, A note on the morphology of the deciduous shoot of 167
Taxodium distichum, The structure and development of the apical meristem in the shoots of 431
Taxonomy and ecology of Agropyron spicatum and A. inerme, The 327
Tecoma radicans 372, 387
Telangium 302; Calymmatotheca 302
Telipogon 134
Tellima grandiflora 456
Ternstroemia **impressa** 599, 600
Tetmemorus brebissonii 84; granulatus 84; granulatus attenuatus 84
Tetraëdron 615; caudatum 82; caudatum incisum 82; enorme 82; gigas granulatum 82; **grande** 615, 616; quadricuspidatum 615; minimum scrobiculata 82; regulare 615; tortum 615; trigonum papilliferum 82
Tetraëdron from Minnesota, A new species of 615
Thalictrum polygamum 373, 386
Thelephora 515
Theobroma 293; Cacao 291
Thermophila 233, 244, 245
Thiamin and symbiosis 569
Thielavia basicola 256
Thlaspi arvense 463
Thrixspermum 192
Thuja 462; plicata 216
Thyronectria denigrata 128, 338
Tibouchina capitata 415; **cornuta** 415; membranifolia 415
Tigridia 539
Tilia 291; europaea 461; glabra 461
Tilletia laevis 578; levis 60; tritici 60
Tinnantia 539, 545; fugax 540, 545
Tomato roots in a synthetic solution, Growth of excised 193
Tontelea 232, 241–243
Tortula 93, 96, 97, 113, 571; acuta 96, 107; agraria 96; Closteri 101; Cruegeri 101; cylindrica 102; Donnellii 103; elata 105; fallax 107, 119; marginata 97; rigidula 112; spadicea 113; vinealis 116
Torula 189
Toumeya 189
Toxicaria americana 311
Trachelomonas hispida 85: hispida coronata 85; hispida punctulatum 85; volvocina 85
Tradescantia 124, 190, 539, 540, 638; fluminensis 181; geniculata 540; mytrifolia 540; paludosa 137, 192
Tragopogon dubius 250
Trametes Pini 59
Tranzschelia pruni-spinosae 333
Trapa microphylla 331
Traquaria 275
Trees, Two pocket rots of hardwood 625
Tribulus terrestris 463
Trichoglottis 192
Tricholoma 1, 155; humile 1
Trichomanes Boschianum 132
Trichostelium ambiguum 230
Trichostomum 104, 112; Ehrenbergii 104; indigens 107
Trifolium pratense 4, 5
Trillium 189, 251, 424; erectum 60, 648; erectum Blandum 334; sessile 374, 385
Triphyllopteris 301
Tripsacum 319; dactyloides 422
Trisetum pennsylvanicum 376, 385
Triteleia 163–166; grandiflora 163
Triticum 186, 337; aegilopoides 502; monococcum 503; vulgare 337
Tropaeolum 291
Tryblidiella 647
Tsuga 535; heterophylla 216, 219, 455; mertensiana 216, 455
Turpinia occidentalis 599; **tricornuta** 598
Two pocket rots of hardwood trees 625
Tylopilus peralbidus 33
Typha angustifolia 385; latifolia 375, 380, 385

Ulmus 479; alata 466, 476, 479; americana 460; Brownelli 479; crassifolia 479; fulva 460; Moorei 479; parvifolia 461, 479; **paucidentata** 466, 476, 478, 480; pumila 479; racemosa 480; Tanneri 479
Uncinula australiana 4, 5
Uniola 317, 324; paniculata 632
United States—I. The importance of secondary Xylem in delimiting Erythrobalanus and Leucobalanus, Secondary vascular tissues of the oaks indigenous to the 353
Uredinales, New and unusual species of 617

Uredinales, the genus Maravalia, Studies in the 173
Uredinopsis 126, 183
Uredo Ammophilae 618; Ammophilina 617, 618; **detenta** 621
Urnula Geaster 578
Uromyces 175, 620; achrous 176; elatus 175, 176; pressus 177
Uronema elongatum 80
Urtica procera 386
Ustilago avenae 137; crameri 192; Lordei 638; nigra 638; zeae 640

Vaccinium 375, 378; atrococcum 387; caespitosum 456; corymbosum 387; ovalifolium 456; oxycoccus 454; uliginosum 456; virgatum 387
Valeriana sitchensis 456
Vallisneria spiralis 640
Valonia 60
Vaucheria 85
Vegetation in the towns and cities of Nebraska to the great drought, Some reactions to the 457
Venenarius **Rhoadsii** 30, 37; solitariiformis 31
Venturia inaequalis 61
Veratrum nigrum 539
Verbascum 293; Thapsus 291
Verbena hastata 641
Vernonia 178, 581; Deppeana 178; noveboracensis 378, 380, 388; patens 178
Veronica alpina 456
Vesicularia amphibola 230
Vibrio amylocella 638
Viburnum 375; cassinoides 373, 388; **chiapense** 603, 604; dentatum 373, 388; disjunctum 604; jucundum 604; nudum 373, 388; Opulus 451; prunifolium 373, 388; rufidulum 451
Vincetoxicum 613; suberosum 612
Viola 378; cucullata 374, 387; glabella 456; lanceolata 387; langsdorfii 456; pedata 387; primultifolia 387
Virginia, Lagenospermum imparirameum sp. nov., a seedbearing frutification from the Mississippian of Pennsylvania and 297
Viticella aurita 346; racemosa 349
Vitis 372; labrusca 387; rotundifolia 372, 387

Washington, Pollen analysis of a bog near Spokane, 215
WEATHERWAX, PAUL, The morphology and phylogenetic position of the genus Jouvea (Gramineae) 315
WELLS, B. W., A new forest climax: the salt spray climax of Smith Island, N. C. 629
WENT, F. W., Further analysis of the pea test for auxin 391
WHITE, PHILIP R., Controlled differentiation in a plant tissue culture 507
WILLIAMS, SIMON, Secondary vascular tissues of the oaks indigenous to the United States—I. The importance of secondary Xylem in delimiting Erythrobalanus and Leucobalanus 353
Wimmeria 129
WOLF, FRED T. and FREDERICK A. WOLF, The snail Polygyra thyroidus as a mycophagist 1
WOLF, FREDERICK A. and FRED T. WOLF, The snail Polygyra thyroidus as a mycophagist 1
Wolffia columbiana 422
Wolffiella lingulata 187
Woodsia oregana 53

Xanthidium armatum fissum 84; armatum irregularis 84; cristatum uncinatum 84; torreyi 84
Xanthium Pennsylvanicum 580
Xenococcus endophytica 493; **pulcher** 491, 492
Xenotheca 298
Xyris caroliniana 380, 385

Yucatan, A new species of Cuscuta from 623
YUNCKER, T. G., A new species of Cuscuta from Yucatan 623

Zannichellia 540
Zea 579; mays 645
Zeuxine strateumatica 635
Zinnia elegans 4, 5
Zinowiewa 129
Zizania aquatica 376, 385
Zonites nitidulus 1
Zygnema carinatum 82; synadelphum 82
Zygnemopsis minutum 82
Zygorhizidium Willei 285
Zygotrichia cylindrica 102